



Outstanding design which makes the enclosure the most suitable for urban areas.



SOLID & STRONG


The advanced design and thickness gives the enclosure a maximum strength against impacts and vandalism while avoiding any deformations and bows. The special pattern on the door and the back gives the enclosure an outstanding aesthetic design which also provides a reinforced structure to the whole enclosure.

safybox ART

Polyester Enclosures

General Features

- Hot moulded fibreglass reinforced polyester enclosures, inalterable due to exposure to an outdoor environment light grey colour RAL-7035, according to norm EN-62208.
- Self-extinguishing material, 960° glow fire test according to norm EN-20672
- Non hygroscopic material, water absorption is minimum.
- Easy to machine to customize the enclosure.
- Extreme weather conditions range -50° +120°
- Most suitable material on harsh environments such as heavy chemicals, outdoors and UV resistant.
- Natural ventilation to avoid internal condensations .
- Wall mounting or floor standing on a pedestal or a concrete base. Indoors or outdoors applications.
- IP43 or IP55 depending on your requirements. IK10 impact resistance



MODULARITY

The enclosures can be connected together to assemble LV switchgear and controlgear pillars.



Comprehensive range of pedestals available for all our Safybox-ART cabinets.

SAFYBOX ART IP-43/55, IK10

Outstanding Design.

Our Safybox-ART range of enclosures is the most suitable for all urban areas. Advanced design to provide the enclosure with maximum strength against impacts and vandalism while keeping a superb aesthetical look.


Suitable for electrical, water, gas and telecom applications.

Under the same aesthetic line, it can be combined together with Safybox-APM and Safybox-GL range of enclosures



LOCKING FEATURES

Three point locking system with a swing handle. Simple and unbreakable. We use flat-profile aluminium bars to provide them with maximum strength and make sure that the enclosure locks always properly.




• 2 doors as an option if required




• PNA-140 - Range of reinforced screws to fix the enclosure on a concrete base



• Safybox-ART enclosures are available in flat pack to reduce the volume in about a 70%



• SDP-300-ART. Range of threaded screws with nuts to adjust the mounting plate at the required depth



• Range of transparent polycarbonate plates to protect the user from all live parts of the assembly

Outdoor enclosures with roof. IP43

Including : Enclosure with door and a three point triangular lock with swing handle and a padlock facility

Part No.	Description	Dim. (mm.)	Price Euros	Packing	Weight
ART-55	Empty Enclosure	500x500x300	267,21	1	13,60
ART-57	Empty Enclosure	500x750x300	310,76	1	17,00
ART-75	Empty Enclosure	750x500x300	339,86	1	17,00
ART-77	Empty Enclosure	750x750x300	502,24	1	22,00
ART-105	Empty Enclosure	1000x500x300	451,96	1	19,00
ART-107	Empty Enclosure	1000x750x300	562,39	1	27,00
ART-710	Available Soon	750x1000x300			
ART-1010	Available Soon	1000x1000x300			

Outdoor enclosures with roof. IP55

Part No.	Description	Dim. (mm.)	Price Euros	Packing	Weight
ART-55-IP55	Empty Enclosure. IP55	500x500x300	310,46	1	14,10
ART-57-IP55	Empty Enclosure. IP55	500x750x300	354,02	1	17,50
ART-75-IP55	Empty Enclosure. IP55	750x500x300	383,11	1	17,50
ART-77-IP55	Empty Enclosure. IP55	750x750x300	546,52	1	22,60
ART-105-IP55	Empty Enclosure. IP55	1000x500x300	476,89	1	19,60
ART-107-IP55	Empty Enclosure. IP55	1000x750x300	608,74	1	27,70



POLYESTER Mounting Plates

Including: fixing Screws.



Part No.	Description	Price Euros	Packing	Weight
PMP-55	Mounting plate for ART-55	22,46	1	1,10
PMP-57	Mounting plate for ART-57	31,80	1	1,80
PMP-75	Mounting plate for ART-75	31,80	1	1,80
PMP-77	Mounting plate for ART-77	54,83	1	2,80
PMP-105	Mounting plate for ART-105	65,32	1	3,40
PMP-107	Mounting plate for ART-107	72,31	1	4,20

Polyester Pedestals for ART enclosures

Part No.	Description	Price Euros	Packing	Weight
F0-500	Polyester Pedestal for ART-55, ART-75 and ART-105 (500mm high)	254,21	1	8,45
F1-500	Polyester Pedestal for ART-55, ART-75 and ART-105 (750mm high)	272,12	1	11,20
F2-500	Polyester Pedestal for ART-55, ART-75 and ART-105 (1000mm high)	291,58	1	14,70
F0-750	Polyester Pedestal for ART-57, ART-77 and ART-107 (500mm high)	265,32	1	10,20
F1-750	Polyester Pedestal for ART-57, ART-77 and ART-107 (750mm high)	339,28	1	14,50
F2-750	Polyester Pedestal for ART-57, ART-77 and ART-107 (1000mm high)	352,99	1	17,20



ART-57

F2-750

Lock Options

Including : Swing handle steel cylinder required

Part No.	Description	Price Euros	Packing	Weight
CML-12T-MG	Triple lock handle with Key	78,06	1	0,32
CML-10T-MG	Triple lock handle double bar	43,20	1	0,32
CTR-11T-MG	Triple lock handle triangular	43,20	1	0,32
CCU-08T-MG	Triple lock handle square	43,20	1	0,32



Adjustable Depth Supports

Part No.	Description	Price Euros	Packing	Weight
SDP-300-ART-P	Adjustable Depth adaptor (6 pieces)	23,52	1	0,18

Note: The mounting plates to be used with SDP-300-ART are different than standard. Please request a PMP-XX-SDP depending on the size of the ART enclosure

Galvanized steel mounting plates

Including: Fixing Screws



Part No.	Description	Price Euros	Packing	Weight
PMM-55	Mounting plate for ART-55	26,15	1	4,23
PMM-57	Mounting plate for ART-57	38,35	1	5,73
PMM-75	Mounting plate for ART-75	38,35	1	5,73
PMM-77	Mounting plate for ART-77	59,99	1	8,58
PMM-105	Mounting plate for ART-105	83,45	1	8,90
PMM-107	Mounting plate for ART-107	88,86	1	11,76