

Tools



E.3 Installation and Professional Tools

- E.3 Cutting Tools
- E.5 Insulated Pliers and Cutting Tools
- E.6 Stripping Tools
- E.9 Crimping Tools
- E.11 IMC Tools
- E.12 Crimping and Puncher Tools
- E.13 Insertion and Processing Tools
- E.14 Screwdrivers



E.18 Testing Tools

- E.18 Testing and Measuring Instruments



E.20 Red Line Installation Tools

- E.20 Stripping and Cutting Tools
- E.21 Ratchet Crimping Tools
- E.22 Switchgear Cabinet Keys



E.23 Tool Sets

- E.23 Crimp Sets
- E.23 PV Set WM4
- E.23 Tradesman Kit
- E.23 Tradesman Cable Prep Kit



E.24 Accessories

- E.24 Ferrules

Combi-Check Pro

2-pole voltage tester

Order No: 1279330000



Measurement range

Large measuring range from 6 to 690 V, DC and AC are automatically detected



Load connection / RCD triggering

One load is connected per double switch, which can cause a 30mA RCD protective switch to trigger, or can suppress an inductive reactive current; this means that inadvertent triggering of the RCD switch when testing is prevented.



IP65

The housing is completely sealed against dust and has all-round protection from jets of water



Phase sequence testing

Two-pole rotating field measurement with direct display for both right-and-left-handed rotating fields.



Weidmüller 

Test with the best

Ergonomic design with maximum functionality

The new generation of voltage testers from Weidmüller with protection class IP65 for reliable use indoors and out

- Comfortable - has a large display of 9.4 cm² for excellent readability
- Efficient - light-level sensor-controlled backlight for extended battery life

www.weidmuller.com.au

Cutting Tools

**KT 8 Precision Cutter**

Precisely cuts copper and aluminium cables up to 8mm diameter

Type	Order No
KT 8 Precision Cutter	9002650000

**KT 12 Precision Cutter**

Precisely cuts copper and aluminium cables up to 12mm diameter

Type	Order No
KT 12 Precision Cutter	9002660000

**KT 22 Precision Cutter**

Precisely cuts copper and aluminium cables up to 20 mm diameter. Automatic opening and safety latch

Type	Order No
KT 22 Precision Cutter	1157830000

**KT 45 R Ratchet Large Cable Cutter**

Maximum cutting performance Copper Cable: Flexible 400mm² & Stranded 300mm². Maximum cutting performance Aluminum Cable: Stranded 400mm² Data, telephone or control cable maximum 45mmØ +/-2mm

Type	Order No
KT 45 R Ratchet Large Cable Cutter	9202040000

**KT 55 Ratchet Large Cable Cutter**

Maximum cutting performance Copper Cable: Flexible 500mm² and Stranded 500mm². Maximum cutting performance Aluminum Cable: Stranded 500mm². Data, telephone or control cable maximum 55mmØ +/-2mm.

Type	Order No
KT 55 Ratchet Large Cable Cutter	9202060000

**KT 80 Ratchet Large Cable Cutter**

Maximum cutting performance Copper Cable: Flexible 630mm² and Stranded 1000mm². Maximum cutting performance Aluminium Cable: Stranded 1000mm². Data, telephone or control cable maximum 80mmØ +/-2mm.

Type	Order No
KT 80 Ratchet Large Cable Cutter	9202080000

Cutting Tools

**Rail Cutter**

Hand operated mounting rail cutter for cutting and perforating DIN mounting rails

Type	Order No
Rail Cutter	9918700000

**VKSW Duct Cutter**

- New easy hand operated wiring duct cutting tool for cutting cable ducts up to a width of 125mm
- Cutting with no burrs of waste
- Length end stop (1000mm) with guiding device for exact 90° angle cutting
- Table-top unit for mounting on workbench or similar work places
- Hardened cutting of special steel

Type	Order No
KT 45 R Ratchet Large Cable Cutter	9202040000

**Swiftly® Set Screwdriver & Cutter**

Combined screw driver & cutting tool. Cuts conductors up to 1.5mm² solid and 2.5mm² flexible, screwdriver 0.6x3.5x100

Type	Order No
Swiftly® Set Screwdriver & Cutter	9006060000

**Electrician Scissors**

Serrated cutting edge including wire cutter. Soft touch handle for firm grip. Light and easy to use

Type	Order No
Electrician Scissors	9918230000

Insulated Pliers and Cutting Tools



Insulated Side Cutters

- For hardened wire
- Precision cutters hardened to 62 HRC
- Length: 160mm
- VDE-insulated to 1000Vac/1500Vdc (DIN EN 60900 / IEC 900)

Type	Order No
SE HD 160 RED-L (62HRC) - For hardened wire	9046320000
SE TOP RED-L (64 HRC) - For piano wire	9046340000



Insulated Long Nose Pliers

- Non-slip handles
- Length: 160mm

Type	Order No
FZ 160 RED-L	9046350000



Insulated Combination Pliers

- Extra length cutter hardened to 62HRC
- Optimum force leverage
- Length: 180mm

Type	Order No
KBZ 180 RED-L	9046290000



Insulated Combination Pliers

- Heavy-duty model for tough demanding jobs
- Extra-long cutter for ribbon and round cables
- For cutting soft and hard wire
- Cutting edges inductively hardened to approx. 60 HRC
- Length: 200mm

Type	Order No
KBZI 200	9046430000



Insulated Wire Stripping Pliers

- Strips insulation from cables and single wires up to 5mm diameter
- Adjustment screw and locknut to set tool according to wire diameter
- Spring loaded for easy operation
- Length: 160mm

Type	Order No
AIZ 160 RED-L	9046440000

Stripping Tools

**Stripax Plus 2.5* - 3 in 1 Tool**

Cuts, strips and crimp conductors from 0.5 to 2.5mm² (All in the 1 tool).
Ratchet for precise crimping.

***Note: Only use Weidmüller ferrules in strip form see page 131**

Type	Order No
Stripax Plus 2.5* - 3 in 1 Tool	902000000

**Mini-stripax Stripping Tool**

Stripping and cutting tool for conductors with special insulation types for conductor diameters 0.2mm² to 1.21mm² (PVC, Teflon and silicone insulation).

Type	Order No
Mini-stripax Stripping Tool	900128000

**LWL - Stripax**

Stripping and cutting tool for plastic fibre-optic cables with 1mm diameter inner conductor. Stripping length adjustable via end stop. Automatic opening of the clamping jaws after stripping.

Type	Order No
LWL - Stripax	900375000
Accessories	
Spare stripping blades	900376000

**Stripax Automatic Stripping Tool**

Automatic stripping & cutting tool for flexible, solid and stranded conductors 0.08 to 6mm². Precise cable cutter in same Tool. NEW model now with improved ergonomic design with detachable grip for different sized hands. Includes part stripping function and fold out cutting guard.

Type	Order No
Stripax Automatic Stripping Tool	900500000

**Stripax 16 Automatic Stripping Tool**

Automatic stripping & cutting tool for flexible, solid and stranded conductors 6 to 16mm². Precise cutter in same tool.

Type	Order No
Stripax 16 Automatic Stripping Tool	900561000

Stripping Tools



AM ASI



AM ASI - Special



CST



CST Varío

AM 25 & AM 35 Stripping Tool

Stripping tool for round PVC cables. Pivoting blade for round, lengthwise and spiral cuts.

Type	Order No
AM ASI	9009950000
AM ASI - Special	9009940000

AM 25 & AM 35 Stripping Tool

Stripping tool for round PVC cables. Pivoting blade for round, lengthwise and spiral cuts.

Type	Order No
AM25 Ø 6...25 mm	9001540000
AM35 Ø 25...36 mm	9001080000

AM 6/10 Stripping Tool

Stripping tool for flat cables of 6 to 10mm². Delivers absolute stripping precision. Insulation can be stripped from any point on the cable and can be cut on surface or edges. Split insulation opened up with integrated blade.

Type	Order No
AM 6/10 Stripping Tool	9204180000

CST Stripping Tools For Coaxial and Shielded Cables

Stripping tool for coaxial cable and round shielded data cables of 2.5 to 8mm (RS 58/59 and 62) diameter. 1, 2 and 3 level stripping in 1 operation, interchangeable cassettes.

Type	Order No
CST*	9030500000
CST Varío	9005700000
*Cutter cassettes for CST	
Grey	9032050000
Red	9032040000
Yellow	9032030000
Blue	9032020000
Brown	9032010000
Green	9032000000
Orange	9032200000
Light Green	9032210000
Black	9032220000

Stripping Tools

**AM 12 Stripping Tool**

Cutting of UTP and STP data cables up to 4mm² Stripping of outer insulation with a diameter 0.5 to 12.5mm.

Type	Order No
AM 12 Stripping Tool	9030060000

**AM 16 Stripping Tool**

Stripping tool for round cables. Delivers absolute stripping precision. Able to adjust the cutting depth and the stripping type. Insulation can be stripped from any desired point on the cable. Capable of stripping cables from 6mm to 17.3mm in diameter. Pivoting blade for both circular and longitudinal cuts. Highly suitable for stripping cables in confined spaces

Type	Order No
AM 16 Stripping Tool	9204190000

**Stripper Round Top**

Sheathing strippers, Flexible and solid conductors with PVC insulation, 13 mm

Type	Order No
Stripper Round Top	9918050000

**Stripper Coax**

Cable sheathing stripper for coaxial and PVC round cables

Type	Order No
Stripper Coax	9918030000

**Slicer No 35**

Cable knife, Flexible and solid conductors with PVC insulation, 37 mm

Type	Order No
Slicer No 35	9918100000

Ratchet Crimping Tools for Wire End Ferrules with or without Plastic Collars



PZ 1.5 Crimping Tool for Ferrules

- Crimping tools for ferrules with or without plastic collars
- Only one crimping profile for entire cross sectional range 0.25 to 1.5mm²
- Ferrule insertion from the front

Type	Order No
PZ 1.5	9005990000



PZ 4 Crimping Tool for Ferrules

- Crimping tools for ferrules with or without plastic collars
- Ratchet for precise crimping with automatic release
- Ratchet release option in case of incorrect operation
- Only one crimping profile for entire cross sectional range 0.5 to 4mm²
- Ferrule insertion from the side

Type	Order No
PZ 4	9012500000



PZ 6 Roto Crimping Tool for Ferrules

- Crimping tools for ferrules with or without plastic collars
- Ratchet for precise crimping with automatic release
- Ratchet release option in case of incorrect operation
- Only one crimping profile for entire cross sectional range 0.14 - 6mm²
- Unique rotatable crimp die for insertion of ferrules from the front or side

Type	Order No
PZ 6 Roto	9014350000



PZ 16 Crimping Tool for Ferrules

- Crimping tools for ferrules with or without plastic collars
- Ratchet for precise crimping with automatic release
- Ratchet release option in case of incorrect operation
- For cross sectional range 6 to 16mm²
- Ferrule insertion from the side

Type	Order No
PZ 16	9012600000



PZ 50 Crimping Tool for Ferrules

- Crimping tools for ferrules with or without plastic collars 25, 35 and 50mm²
- 3 crimping stations corresponding to the conductor cross-section
- Ratchet for precise crimping with automatic release
- Ratchet release option in case of incorrect operation
- Ferrule insertion from the side

Type	Order No
PZ 50	9006450000

Crimping Tools for Pre-Insulated Lugs



HTI 15 Crimping Tool for Pre- Insulated Lugs

- Crimping tools for insulated connectors 0.5 to 2.5mm²
- Ratchet for precise crimping with automatic release
- Ratchet release option in case of incorrect operation
- Includes locator for exact positioning of the contacts

Type	Order No
HTI 15	901440000



CTI 6 Crimping Tools for Pre-Insulated Lugs

- Crimping tools for insulated connectors 0.5 to 6mm²
- Ratchet for precise crimping with automatic release
- Ratchet release option in case of incorrect operation
- Includes locator for exact positioning of the contacts

Type	Order No
CTI 6	9006120000
CTI 6s (short handle version)	9006210000

Crimping Tools for Coaxial Plugs



HTG 58/59 Crimping Tool for Coaxial Plugs

- Crimping tools for coaxial connectors like BNC- and TNC-plugs with cable RG 58, RG 59, RG 62 & RG 71
- Ratchet for precise crimping with automatic release
- Ratchet release option in case of incorrect operation

Type	Order No
HTG 58/59	9012020000

IMC Crimping Tool for Turned Contacts



IMC CTX CM Crimping Tools For Turned Contacts (for use with IMC connectors)

- Ratchet for precise crimping with automatic release
- Ratchet release option in case of incorrect operation
- Includes locator for exact positioning of the contacts

Type	Order No
CTX CM 1.6/2,5 ... of 0.14 to 4mm ² (For turned HD-contacts, HE-contacts and ConCept M10 & M5 contacts)	9018490000
CTX CM 3.6 ... of 4 to 10mm ² (For turned HD-contacts and ConCept M3 contacts)	9018480000

IMC Crimping Tool



IMC CM 20: for stamped contacts on roll from 0.08...0.5mm²

- Contact diameter 1mm
- Stamped Sub-D Contacts
- Stamped CM 20 Contacts

Type	Order No
HDC CM 20	1700900000

IMC Module Removal Tool



IMC Module Removal Tool

- For removal of IMC Concept modules from the frame

Type	Order No
HDC-DW-MOD	1688200000

IMC Contact Removal Tools



CM 5



HD



HE



DW RSV 1.6

IMC Contact Removal Tools

- Contact removal tool for IMC Concept modules or GB/GS and CB/CS crimp contacts

Type	Order No
Removal Tool CM 3	1866710000
Removal Tool CM 5	1866720000
Removal Tool HD	1866730000
Removal Tool CM 20	1866740000
Removal Tool HE	1866750000
DW RSV 1.6 Tool for removal of stamped HD-female and male contacts Type CB/CS and GB/GS	9004530000

Crimping Tools for Crimp Lugs



MTR 35



MTR 110



MTR 160



MTR 300

HTI 15 Crimping Tool for Pre-insulated Lugs

- For insulated and uninsulated cable lugs and connectors.
- Mechanical function ensures safe and manageable operations under different environmental conditions.
- Precision engineering means high pressing force with little physical effort.
- Fast feed helps pre-centering and extraction of the connecting parts.

Type	Order No
MTR 35 Tubular cable lugs ranging from 6 ... 120mm ²	9017500000
MTR 110 Tubular cable lugs ranging from 6 ... 120mm ²	9018020000
MTR 160 Tubular cable lugs ranging from 10 ... 300mm ²	9017250000
MTR 300 Turnable presses: 25... 240ms; 35 ... 240 sec	9021390000

Crimping Tool for Crimp Pins



CZ 22 E: Processing of the contacts C1 E/K and C1 E/L (MS System)

2 Crimp profiles in one die for conductor cross-sections:

- Crimp profile: AWG 26-22
- Crimp profile: 0.5 ... 1.5 mm² and AWG 18/19

Type	Order No
CZ 22 E 0.5-1.5	0560400000

Hydraulic Hand Puncher Tool



IE-KO-HAT

- Hydraulic hand puncher made out of high-tensile Aluminium (approx. 40% weight saving)
- 90° angle head
- Angular head, 360° rotatable
- Ergonomic handle springs back automatically
- 3-Fold splitter, no jamming of drop-off pieces

Type	Order No
IE-KO-HAT	1966810000

Insertion Tool for Twisted-pair cable




PDT (Punch Down Tool)


- Mechanics made from metal components
- Adjustable pressing force for conductor sizes AWG 20 to AWG 28
- Incision blades with 2 functions: incision or incision with cutting off to remaining conductor
- Storage compartment for additional blade

Type	Order No
PDT (Punch Down Tool)	9013970000
Accessories	
PD Blade Krone LSA Plus (scissor)	9014050000
PD Blade 110	9013960000
PD Blade 630	9013990000
PD Blade 66	9013980000
PD Blade Krone LSA Plus (standard)	9014000000

Pressing Tools for Western Electric (WE) & DEC Modular Connectors



TT 864 RS WE



TT 1064 RS WE

TT 864 RS WE / TT 1086 RS WE

- Pressing tools for the WE (Western Electric) and DEC modular connector systems.
- Ratchet for precise crimping
- Release option in the event of incorrect
- 3 Main Functions: Cutting, Stripping, and Crimping

Type	Order No
TT 864 RS WE (For up to 8 pole flat ribbon or flat-oval data cables)	9008120000
TT 1064 RS WE (For up to 10 pole flat ribbon or flat-oval data cables)	9008190000
Accessories	
Spare bit set	9008130000

Uninsulated Screwdriver Set



Uninsulated 6 Piece Screwdriver Set

- 4x slot head screwdrivers with round blade (2.5-5.5mm flat blade)
- 2x phillips head screwdrivers (Sizes 1&2)

Type	Order No
SDS 2.5-5.5/PH/1/2	9009740000

Uninsulated Slot-head Screwdrivers

Blades made from high alloy hardened steel with matt chrome finish for long lasting



Type	Blade Type	Size / AF	a	b	c	Order No.
SD 0,5x3,0x80	A		0.5	3.0	80	9008320000
SD 0,6x3,5x100	A		0.6	3.5	100	9008330000
SD 0,8x4,0x100	A		0.8	4.0	100	9008340000
SD 1,0x5,5x150	A		1.0	5.5	150	9008350000

Uninsulated Phillips head Screwdrivers

Blades made from high alloy hardened steel with matt chrome finish for long lasting



Type	Blade Type	Size / AF	a	b	c	Order No.
SDK PH0		0			60	9008470000
SDK PH1		1			80	9008480000
SDK PH2		2			100	9008490000
SDK PH3		3			150	9008500000

Swiftly Set Screwdriver & Cutter

- Combined screwdriver and cutting tool
- Cuts conductors up to 1.5mm² solid and 2.5mm² flexible blade diameter of 3.5mm



Type	Blade Type	Size / AF	a	b	c	Order No.
Swiftly Set			0.6	3.5	100	9006060000

Bits



Bit E6.3 S

- Slotted bits DIN 5264
- 1/4" drive E6.3 DIN 3126

Type	Order No
BIT E 6.3: 0.4x2.5x70	9202750000
BIT E 6.3: 0.5x3.0x70	9024000000
BIT E 6.3: 0.6x3.5x70	9024020000
BIT E 6.3: 0.8x4.0x70	9024030000

Insulated Screwdriver Set



Insulated Screwdriver Set SlimLine



Insulated 6 Piece Screwdriver Set

- 4x slot head screwdrivers with round blade (2.5-5.5mm flat blade)
- 2x philips head screwdrivers (Sizes 1&2)

Type	Order No
SDIS 2.5-5.5/PH/1/2	9009730000

Insulated Slot-head Screwdrivers

Blades made from high alloy hardened steel with matt chrome finish for long lasting

Type	Blade Type	Size / AF	a	b	c	Order No.
SDI 0,4x2,5x75	A		0.4	2.5	70	9008370000
SDI 0,5x3,0x100	B		0.5	3.0	100	9008380000
SDI 0,6x3,5x100	B		0.6	3.5	100	9008390000
SDI 0,8x4,0x100	B		0.8	4.0	100	9008400000
SDI 1,0x5,5x125	B		1.0	5.5	125	9008410000
SDI 1,2x6,5x150	B		1.2	6.5	150	9008420000
SDI 1,6x8,0x175	B		1.6	8.0	175	9008430000

Insulated Phillips head Screwdrivers

Blades made from high alloy hardened steel with matt chrome finish for long lasting

Type	Blade Type	Size / AF	a	b	c	Order No.
SDIK PH0		0			60	9008560000
SDIK PH1		1			80	9008570000
SDIK PH2		2			100	9008580000
SDIK PH3		3			150	9008590000

Insulated 6 Piece Screwdriver Set SlimLine

Blade made from fully hardened, high-alloy chromium-vanadium molybdenum steel, gun-metal finish.

Type	Order No
6 Piece Set SlimLine: SDI SL S2.5-5.5/PH1/2	1274750000
Slot-head Screwdrivers	
SDI SL 3.5	1274660000
SDI SL 4.0	1274670000
SDI SL 5.5	1274680000
SDI SL 6.5	1274690000
Phillips head Screwdrivers	
PH1	1274710000
PH2	1274720000

Prostar Allen Key Set



9 part offset screwdriver set. Made from high alloy-chromium-vanadium steel acc. to DIN ISO 2936 L, surface high quality refined.

Type	Order No.
SK WSD-S 1.5-10.0	9008850000

Non-Insulated Torque Screwdriver



DMS Torque Screwdrivers

- Simple adjustment of torque using special tool (included)
- Audible clicking sound when torque limit is reached. Easy and unique interchangeable bit system (Bits sold separately)

Type	Order No.
DMS Manual 0.5-1.7 Nm	9918370000
DMS Manual 2.0-8.0 Nm	9918380000
Accessories: Interchangeable Slot-Head Bits for DMS	
WK S 0.4-2.5mm, Max 0.6Nm	9918520000
WK S 0.5-3.0mm, Max 0.6Nm	9918530000
WK S 0.6-3.5mm, Max 1.1Nm	9918540000
WK S 0.8-4.0mm, Max 2.5Nm	9918550000
WK S 1.0-5.5mm, Max 3.8Nm	9918560000
Accessories: Interchangeable Phillips-Head Bits for DMS	
WK K PH0, Max 0.9Nm	9918570000
WK K PH1, Max 3.8Nm	9918580000
WK K PH2, Max 5.5Nm	9918590000

Insulated DMSI Torque Screwdrivers



- VDE-insulated to 1000Vac/1500Vdc (DIN EN 60900 / IEC 900)
- Simple adjustment of torque using special tool (included)
- Audible clicking sound when torque limit is reached. Easy and unique interchangeable bit system (Bits sold separately)

Type	Order No.
DMSI Manual 0.5-1.7 Nm	9918390000
DMSI Manual 2.0-8.0 Nm	9918400000
Accessories: Interchangeable Slot-Head Bits for DMS	
WK SI 0.4-2.5mm, Max 0.6Nm	9918410000
WK SI 0.5-3.0mm, Max 0.6Nm	9918420000
WK SI 0.6-3.5mm, Max 1.1Nm	9918430000
WK SI 0.8-4.0mm, Max 2.5Nm	9918440000
WK SI 1.0-5.5mm, Max 3.8Nm	9918450000
Accessories: Interchangeable Phillips-Head Bits for DMS	
WK IK PH0, Max 0.9Nm	9918460000
WK IK PH1, Max 3.8Nm	9918470000
WK K PH2, Max 5.5Nm	9918480000

SDIZ Screwdrivers**SDIZ Screwdrivers**

- Suitable for all Weidmüller socket screws
- Made from hardened chrome-vanadium steel
- No damage to walls around contacts

Type	Order No
SDIZ 0.3x3.5mm blade	9008450000
SDIZ 0.8x4.0mm blade	9008460000

Spanner Tools**FleCaFix Gland Spanner Tools**

- Tightening tool for all types of cable glands
- Can reach over several rows of glands
- 2 Sizes: 11 up to 24mm or 24 up to 36mm
- Infinite adjustment of AF size
- Ratchet function with authentic one hand operation

Type	Order No
FleCaFix 11/24 - 11 to 24mm	9015900000
FleCaFix 24/36 - 24 to 36mm	9015980000

Testing and Measuring Instruments



Combi-Check

- 6 - 690V AC/DC
- Continuity test
- Phase sequence test
- Test probe illumination
- Polarity detection
- Low battery indicator
- Includes batteries

Type	Order No
Combi-Check	9918860000



Combi-Check Pro

- 6 - 690V AC/DC
- Continuity test
- Phase sequence test
- Switchable load
- Test probe illumination
- Polarity detection
- Low battery indicator
- Includes batteries

Type	Order No
Combi-Check Pro	1279330000



Digi-Check

- 5 - 690V AC/DC
- Continuity test
- Test probe illumination
- Polarity detection
- HOLD function
- Low battery indicator
- Includes batteries

Type	Order No
Digi-Check	9918850000



Digi-Check Pro

- 5 - 690V AC/DC
- Continuity test
- Test probe illumination
- Switchable load
- Phase sequence test
- Test probe illumination
- Polarity detection
- HOLD function
- Low battery indicator
- Includes batteries

Type	Order No
Digi-Check Pro	9918870000



Multi-Check

- 5 - 500V AC/DC
- Continuity test
- Polarity detection
- HOLD function
- Test probe illumination
- Low battery indicator
- Includes batteries

Type	Order No
Multi-Check	9918920000



Master-Check

- 6 - 400V AC/DC
- Continuity test
- Polarity detection
- Low battery indicator
- Includes batteries

Type	Order No
Master-Check	9918880000

Testing and Measuring Instruments



Testboy 100 Non-Contact Voltage Tester

- Voltage sensing 120 to 1000 V AC recognises live conductors in cable connections, cable drums, socket outlets, switches etc
- Approved to Cat II/1000V to AS/NZS 61010-1

Type	Order No
Testboy 100 Non-Contact Voltage Tester	9201330000
Accessories	
Spare Battery 1.5V	9201310000



Testboy 130 Non-Contact Magnetic Field Tester

- Magnetic field tester for rapid and precise inspection relays, contactors, electromagnetic switches and valves
- Approved to Cat II/1000V to AS/NZS 61010-1

Type	Order No
Testboy 130 Non-Contact Magnetic Field Tester	9201390000
Accessories	
Spare Battery 1.5V	9201310000



610 LC - Infrared Thermometer

- Laser spot marker
- Measures temperatures from -200 to 260°C

Type	Order No
610 LC - Infrared Thermometer	9427520000



TEMPHASER - Digital Multimeter

- Measures voltage up to 600V, resistance, capacitance, frequency and temperature measurements
- Continuity and diode testing
- Approved to Cat III/600V to AS/NZS 61010-1

Type	Order No
TEMPHASER - Digital Multimeter	9427300000



Digital Multimeter 125S

- Automatic range selection, measures voltage up to 600 V continuity and diode testing
- Approved to Cat III/600V to AS/NZS 61010-1

Type	Order No
Digital Multimeter 125S	9425830000



Portable Test Set - MG KIT CA 600

- Measures voltage up to 600V, resistance, capacitance, frequency and temperature measurements
- Approved to Cat III/600V to AS/NZS 61010-1

Type	Order No
Portable Test Set - MG KIT CA 600	9427460000

Stripping and Cutting Tools



Cable Cutter 8

- Cable cutter
- Up to 8mm cable diameter

Type	Order No
Cutter 8	9040130000



Cable Cutter 20 A

- Cable cutter
- Up to 20mm cable diameter

Type	Order No
Cutter 20 A	9040140000



Cable Cutter 35

- Cable cutter
- Up to 35mm cable diameter

Type	Order No
Cutter 35	9040560000



Stripsy Cable Cutter & Stripper

- Cable cutting and stripping tool
- Up to 12.5mm diameter

Type	Order No
Stripsy	9042000000




Stripper 6 Automatic Stripping Tool

- Stripping and cutting tool for flexible conductors with PVC insulation up to 4mm² in one tool
- Automatic opening of clamping jaws after stripping
- Stripping length adjustable by wire stop

Type	Order No
Stripper 6	9046240000

Ratchet Crimping Tools



Crimpers for Ferrules

- Ratchet crimping tools for ferrules with or without plastic collars
- Ferrule insertion from the side

Type	Order No
Crimper 6 Z: For cables 0.5-6mm ²	9040530000
Crimper 16 Z: For cables 6-16mm ²	9040540000
Crimper 25 Z: For cables 6-25mm ²	9040470000
Crimper 50 Z: For cables 30-50mm ²	9040480000

Crimper 6 I for Insulated Lugs

- Crimping tools for insulated connectors
- Cross sectional range 0.5 to 6mm²
- Insertion from the side



Type	Order No
Crimper 6 I	9040450000

Crimper 6 N for Non-Insulated Lugs

- Crimping tools for non-insulated connectors
- Cross sectional range 0.5 to 6mm²
- Insertion from the side



Type	Order No
Crimper 6 N	9040520000

Crimper 25 N D4 for Non-Insulated Lugs


- Crimping tools for non-insulated connectors
- Cross sectional range 10 to 25mm²
- Insertion from the side



Type	Order No
Crimper 25 N D4	9040460000

Crimper 6.3 F

- Crimping tool
- 0,5 - 2,5 mm²
- For 6,3 mm replaceable and tab connectors




Type	Order No
Crimper 6.3 F	9040490000

Tools

E


Switchgear Cabinet Keys



Cross Key Universal Switchgear Cabinet Key

- Reversible 1/4" bit


Type	Order No
CK Universal	9918130000



Cross Key Universal-S Switchgear Cabinet Key

- Reversible 1/4" bit

Type	Order No
CK Universal-S	9918140000



Cross Key Master Switchgear Cabinet Key

- Reversible 1/4" bit

Type	Order No
CK Master	9918150000

Crimp Sets



Crimp-Set Stripax Plus

- Includes Stripax® Plus 2.5 Tool and 2500 Ferrules with plastic collars in one set
- Conductors from 0.5 to 2.5mm² using Weidmuller ferrules in strip form only

Type	Order No
Crimp-Set stripax plus	9028790000
Note * Only use Weidmuller ferrules in strip form	

Crimp-Set PZ6 Roto

- Includes Stripax® Stripping Tool, PZ6 Roto and 3000 Ferrules with plastic collars in one set
- Stripping Tool Stripax® for conductors with PVC from 0.08...6.0mm²
- Crimping Tool PZ6 roto for wire end ferrules from 0.14...6.0mm²

Type	Order No
Crimp-Set PZ6 roto	9028700000
Note * Only use Weidmuller ferrules in strip form	

PV Set WM4



PV Set WM4

- Multi-Stripax® PV Stripping Tool
- CTF PV WM4 PV Crimping Tool
- Multi-Tool for PV Connectors
- 10 x Male and Female WM4 PV Connectors

Type	Order No
PV Set WM4	1257780000

Tradesman Kit



Tradesman Kit

- 6 piece screwdriver set insulated
- Insulated side cutters, for hardened wire
- Insulated flat nose pliers with long jaws
- Insulated combination pliers

Type	Order No
Tradesman Kit	1108310000




Tradesman Cable Prep Kit

- Automatic Stripping & Cutting tool for flexible conductors with PVC insulation 0.08 to 6mm² in the one tool
- Professional Ratchet Crimper for Ferrules with or without plastic collars, cable sizes 0.14 to 6mm² in 1 crimp die, with Rotating head
- Slotted Screwdriver with a Professional soft finish and a non-slip handle
- 400 Wire End Ferrules with plastic collars in a carry case


Type	Order No
Tradesman Cable Prep Kit	7940044595

Wire End Ferrules without Plastic Collars



Tools



E



Cross Section (mm ²)	AWG	Dimensions			Stripping Length (mm)	Qty.	Type	Order No.
		L1	L2	D1				
0.25	24	5	0.7	1.65	5	1000	H 0.25/5	9018910000
0.5	20	6	1	2.1	6	1000	H 0.5/6	0282600000
0.5	20	10	1	2.1	10	1000	H 0.5/10	9004050000
0.75	18	6	1.2	2.3	6	1000	H 0.75/6	0282700000
0.5	18	10	1.2	2.3	10	1000	H 0.75/10	0542500000
1	17	6	1.4	2.5	6	1000	H 1/6	0372600000
1	17	10	1.4	2.5	10	1000	H 1/10	0282800000
1.5	16	7	1.7	2.8	7	1000	H 1.5/7	0372700000
1.5	16	10	1.7	2.8	10	1000	H 1.5/10	0186500000
2.5	14	7	2.2	3.4	7	1000	H 2.5/7	0373000000
2.5	14	10	2.2	3.4	10	1000	H 2.5/10	9004080000
2.5	14	12	2.2	3.4	10	1000	H 2.5/12	0186100000
4	12	9	2.8	4	9	500	H 4/9	0373100000
4	12	12	2.8	4	12	1000	H 4/12	0244100000
6	10	10	3.5	4.7	10	500	H 6/10	9004120000
6	10	12	3.5	4.7	12	500	H 6/12	0191900000
6	10	15	3.5	4.7	45	500	H 6/15	0124700000
10	7	12	4.5	5.8	12	500	H 10/12	0282900000
10	7	15	4.5	5.8	15	500	H 10/15	0124800000
10	7	18	4.5	5.8	18	500	H 10/18	0379300000
16	6	12	5.8	7.5	12	500	H 16/12	0492500000
16	6	15	5.8	7.5	15	500	H 16/15	0124300000
16	6	18	5.8	7.5	18	100	H 16/18	0375200000
25	3	15	7.3	9.5	15	250	H 25/25	0124400000
25	3	18	7.3	9.5	18	100	H 25/18	0375300000
25	3	25	7.3	9.5	25	100	H 25/25	9001470000
35	2	18	8.3	11	18	100	H 35/18	0368900000
35	2	25	8.3	11	25	100	H 35/25	9001490000
35	2	30	8.3	11	30	500	H 35/30 S	9451000000
50	1	18	10.3	13	18	100	H 50/18	9004210000
50	1	25	10.3	13	25	100	H 50/25	9025880000
50	1	32	10.3	13	32	100	H 50/32	9004220000
70	2	25	12.5	15	25	50	H 70/25	9004230000
70	2	32	12.5	15	32	50	H 70/32	9004240000

Wire End Ferrules with Plastic Collars (Other Standard)


Weidmüller and Din standard colours also available



Cross Section	AWG	Dimensions				Qty.	Type	Other Colours	Order No.	Order No. Strip Pack	
		L1	L2	D1	D2						
	0.25 mm ²	24	10	6	0.8	1.8	500	H 0.25/10 T	Yellow	9021010000	9021210000
	0.25 mm ²	24	12	8	0.8	1.8	500	H 0.25/12 T	Yellow	9021020000	9021220000
	0.5 mm ²	20	12	6	1	2.6	500	H 0.5/12 D	White	9019000000	
	0.5 mm ²	20	14	8	1	2.6	500	H 0.5/14 D	White	9019010000	9019400000
	0.5 mm ²	20	16	10	1	2.6	500	H 0.5/16 D	White	9019020000	
	0.75 mm ²	18	12	6	1.2	2.8	500	H 0.75/12 T	Light Blue	9021030000	
	0.75 mm ²	18	14	8	1.2	2.8	500	H 0.75/14 T	Light Blue	9021040000	9021230000
	0.75 mm ²	18	16	10	1.2	2.8	1500	H 0.75/16 T	Light Blue	9021050000	
	0.75 mm ²	18	18	12	1.2	2.8	500	H 0.75/18 T	Light Blue	9021060000	
	1 mm ²	17	12	6	1.4	3	500	H 1/12 D	Red	9019070000	
	1 mm ²	17	14	8	1.4	3	500	H 1/14 D	Red	9019080000	9019420000
	1 mm ²	17	16	10	1.4	3	500	H 1/16 D	Red	9019100000	
	1 mm ²	17	18	12	1.4	3	500	H 1/18 D	Red	9019110000	
	1.5 mm ²	16	14	8	1.7	3.5	500	H 1.5/14 D	Black	9019120000	9019430000
	1.5 mm ²	16	16	10	1.7	3.5	500	H 1.5/16 D	Black	9019130000	
	1.5 mm ²	16	24	18	1.7	3.5	500	H 1.5/24 D	Black	9019150000	9004140000
	2.5 mm ²	14	14	8	2.2	4.2	500	H 2.5/14 T	Grey	9021070000	9021240000
	2.5 mm ²	14	18	12	2.2	4.2	500	H 2.5/18 T	Grey	9021080000	
	2.5 mm ²	14	24	18	2.2	4.2	500	H 2.5/24 T	Grey	9021090000	
	4 mm ²	12	17	10	2.8	4.8	500	H 4/17 T	Orange	9021100000	9021250000
	4 mm ²	12	20	12	2.8	4.8	500	H 4/20 T	Orange	9021110000	
	4 mm ²	12	26	18	2.8	4.8	500	H 4/26 T	Orange	9021120000	
	6 mm ²	10	20	12	3.5	6.3	100	H 6/20 T	Green	9021130000	
	6 mm ²	10	26	18	3.5	6.3	100	H 6/26 T	Green	9021140000	
	10 mm ²	7	22	12	4.5	7.6	100	H 10/22 T	Brown	9021150000	
	10 mm ²	7	28	18	4.5	7.6	100	H 10/28 T	Brown	9021160000	
	16 mm ²	6	24	12	5.8	8.8	100	H 16/24 T	White	9021170000	
	16 mm ²	6	28	18	5.8	8.8	100	H 16/28 T	White	9021180000	
	25 mm ²	3	30	16	7.3	11.2	50	H 25/30 T	Black	9021190000	
	25 mm ²	3	36	22	7.3	11.2	50	H 25/36 T	Black	9021200000	

Twin Wire End Ferrules with Plastic Collars (Other Standard)



Weidmuller and Din standard colours also available



Cross Section	AWG	Dimensions				Qty.	Type	Other Colours	Order No.
		L1	L2	D1	D2				
0.5 mm ²	20	14.6	8.2	1.4	5/3	500	H 0.5/15 D	Orange	9037200000
0.75 mm ²	18	14.6	8.2	1.7	5.5/3	500	H 0.75/15 D	Light Blue	9037610000
1 mm ²	17	15.8	8.2	2.3	6.5/3.6	500	H 1.0/15 D	Red	9037440000
1.5 mm ²	16	15.8	8.2	2.3	6.5/3.6	500	H 1.5/16 D	Black	9037470000
2.5 mm ²	14	18.5	10	2.9	8/4.5	250	H 2.5/18.5 T	Grey	9037640000
4 mm ²	12	22	12	3.5	9/5.2	100	H 4/22 D	Orange	9037670000
6 mm ²	10	25	12	4.5	11.4/6.2	100	H 6/25 T	Green	9037690000
10 mm ²	7	24	12	5.8	13.4/7.6	100	H 10/26	Brown	9037710000
16 mm ²	6	38	25	8.3	17.2/9.5	29	H 16/38	White	9037730000

Wire End Ferrules with Plastic Collars in Strip Form

- Insulated
- Linked ferrules on role with 50 piece
- Use with Stripax plus 2.5



Cross Section (mm ²)	AWG	Dimensions				Qty.	Type	WEID Colours	Order No.	Other Colours	Order No.
		L1	L2	D1	D2						
0.5	20	15	8	1	2.6	500	H 0.5/14 D	Orange	9004270000	White	9004280000
0.75	18	15	8	1.2	2.7	500	H 0.75/14 T	White	9004290000	Light Blue	9004310000
1	17	15	8	1.4	3	500	H 1/14 D	Yellow	9004320000	Red	9004330000
1.5	16	15	8	1.7	3.2	500	H 1.5/14 D	Red	9004340000	Black	9004350000
2.5	14	15	8	2.2	4	500	H 2.5/14 T	Blue	9004360000	Grey	9004370000